

## **Effecta Komplett III Pricing**

Effecta Komplett III Light			Retail Price	
20kW <sup>1</sup> 25kW <sup>1</sup> 35kW <sup>1</sup>	Separate auger plus bin or Flexi-Bulk silo required. <sup>2</sup>	\$	9,300 9,600 9,990	
20kW <sup>1</sup> 25kW <sup>1</sup> 35kW <sup>1</sup>	280-lb capacity integrated storage. <sup>2&amp;3</sup> Suitable for filling with bagged pellets.		10,420 10,720 11,110	
20kW <sup>1</sup> 25kW <sup>1</sup> 35kW <sup>1</sup>	Suction tube, nozzles, bulk-fill connections, & storage silo or bin required. <sup>2</sup>		11,650 11,950 12,340	
	120 gal. Buffer tank and loading circ. (required in residential installations in US) Thermostatic bypass valve also required with or without buffer tank. $^{1}20kW = 68,000 \text{ BTU/H } \parallel 25kW = 85,000 \text{ BTU/H } \parallel 35kW = 119,000 \text{ BTU/H}$ $^{2}\text{Specify burner on Left or Right side of boiler.}$ $^{3}\text{Integrated storage can be later refitted with vacuum/suction system}$		1,950 165	
Note:	All Effecta Komplett III pellet boilers sold in the United States and used in residential applications, are required to be installed with an insulated buffer tank and tank-loading circulator.			
	20kW <sup>1</sup>   25kW <sup>1</sup>   35kW <sup>1</sup>   20kW <sup>1</sup>   25kW <sup>1</sup>   25kW <sup>1</sup>   25kW <sup>1</sup>   25kW <sup>1</sup>   25kW <sup>1</sup>   25kW <sup>1</sup>	20kW¹ 25kW¹ 35kW¹  20kW¹ 20kW¹ 25kW¹ 35kW¹  20kW¹ 35kW¹  20kW¹ 35kW¹  20kW¹ 20kW¹ 20kW¹ 35kW¹  20kW¹ 20kW² 20kW¹ 20kW² 2	20kW¹ 25kW¹ 35kW¹ 20kW¹ 20kW¹ 280-lb capacity integrated storage.²&³ Suitable for filling with bagged pellets.  25kW¹ 35kW¹  20kW¹ 20kW¹ 20kW¹ 35kW¹  Suction tube, nozzles, bulk-fill connections, & storage silo or bin required.²  25kW¹ 35kW¹  120 gal. Buffer tank and loading circ. (required in residential installations in US) Thermostatic bypass valve also required with or without buffer tank.  ¹20kW = 68,000 BTU/H    25kW = 85,000 BTU/H    35kW = 119,000 BTU/H ²Specify burner on Left or Right side of boiler.  ³Integrated storage can be later refitted with vacuum/suction system  Note: All Effecta Komplett III pellet boilers sold in the United States and used in residential applications, are required to be installed with an insulated buffer tank and tank-loading circulator.	






integral storage.



vacuum/suction feed.





Shipping: All products F.O.B. Nashua, NH. Shipping costs are extra.

April 2018

/ Augers		Retail Price		
EHS AUGER 1.8	Pellet auger, 5'11" (71")	\$ 630		
EHS AUGER 8	Pellet auger, 8'1" (97")	660		
EHS AUGER 10	Pellet auger, 10'7" (127") Suitable for FlexiBulk connection.	690		
EHS AUGER 11/45	11' auger with 45° bend Suitable for 2-ton capacity "construct-on-site trough" bins.	890		
EHS 3913-10V 24	Pellet auger, 24' total length, (two 10' lengths with 45° bend piece.)	1,990		
Storage, Transport Tube, and Connections				
EHS SUCTION HOSE	20 Meters (= 65 feet) of groundable flexible suction tube	410		
EHS NOZZLE	Nozzle used in bulk bins or under Flexi-Bulk silo	135		
EHS SCTN SWTCH1	First hose fitting for storage where one or more nozzles is used	110		
EHA SCTN SWTCH2+	Hose fittings for bulk storage where more than one nozzles are used	75		
EHS HSE CLMP	Hose clamps for securing suction hose to boiler, nozzles and bin fittings.	14		
EHS MINI2810 10.6	10-bag (400-lb) capacity storage unit with lid (25.6x25.6x48.4")	485		
EHS MINI-EXT	Extension for 10-bag cap. bin unit (21.6" high extension adds capacity of about 300 lbs.)	125		
EHS MIDI2815 25.8	25-bag (1,000-lb) capacity storage unit with lid (39.4x39.4x56.0")	785		
EHS FLEXIBULK 3.6	3.6-ton capacity storage unit, tapered fabric, filling connection, and auger box or vacuum box. Approx. dimensions: 7'L x7'W x7'3"H. Includes post and beam connectors and post stabilizer cross-supports. Does <u>not</u> include 4 x 4 posts and eight 2.75" x 9.5" laminated beams.	2,100		
EHS FLATBOTTOM 3.0	3-ton capacity storage bag with flat bottom (6' diameter x 7'9"H (on platform))	300		
EHS BULK CON CQ	Connection kit for loading bulk storage. Custom quote.			
EHS K3 LAMBDA	Lambda controller for Komplett III. Optional part.	650		
EHS K3 SHUNT1	Shunt bundle (shunt valve, motor, flow sensor, room sensor, outdoor sensor)	490		
EHS K3 SHUNT2	Shunt bundle (all the above plus expansion board for 2 additional shunt groups)	570		



Augers for connecting with Mafa bins or Flexi-Bulk silo.

400-lb (left) and 1,000-lb capacity (right) Mafa bins.







3.6 ton capacity Flexi-Bulk silo with posts and beams (not included). Specify auger or vacuum for transport from silo to boiler. Optional single fill connection at bin requires bringing fill hose to bin (as shown). Fill connection can also be made to home exterior.

Suction nozzle (left) and Suction connection (right) for manually switching between two nozzles.

